



ISOLATION TAGS CATALOGUE



LO/TO = Lockout / Tagout

TAGS play a vital role as visual aids in LO/TO programs to convey critical messages related to isolation of hazardous energies.

LOTO Safety Requisites Trading L.L.C. specializes in providing integrated LO/TO solutions serving over 600+ direct end users since 2011.

We manufacture and supply customized Danger, Warning & Caution Tags from a variety of plastics and metals in several languages.

Our key drivers are emphasis on Quality and adherence to timelines when it comes to fast turn arounds during plant commissioning.

125 popular varieties of Plastic Tags, 5 models of convenient **TAGS-ON-A-ROLL**, SS316 Valve Open Closed discs, Car Seals Tags and many more are available **off-the-shelf** from our stock facility in Dubai with same or next day dispatch.

So, when it comes to implementing your LO/TO program – your one stop destination for the largest range of Safety Padlocks, LOTO Devices Tags is only a phone call or e-mail away.

THANK YOU for your continued patronage.

Management



LOTO SAFETY PRODUCTS DMCC



DANGER & CAUTION TAGS

01-15



BRITISH STANDARD TAGS

16



CAR SEAL TAGS & DISCS

17



BAR CODE TAGS

18



WRITE - ON COLORED TAGS

19



TAGS-ON-A-ROLL

20-21



RUBBER TIE TAGS

22-23



CUSTOMIZED TAGS

24



SIGNAGE

25



DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 01

DANGER

DO NOT OPERATE

DO NOT REMOVE THIS TAG
SEE REVERSE SIDE

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 01

DANGER

EQUIPMENT LOCKED OUT BY

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS: _____

Model No.: S1 – TAGD - 02

DANGER

THIS TAG & LOCK TO BE REMOVED ONLY BY PERSON SHOWN ON BACK

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 02

DANGER

EQUIPMENT LOCKED OUT BY

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS: _____

Model No.: S1 – TAGD - 03

DANGER

DO NOT OPERATE

MAINTENANCE LOCK-OUT

THIS TAG AND LOCK TO BE REMOVED ONLY BY PERSON SHOWN ON BACK

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 03

DANGER

EQUIPMENT LOCKED OUT BY

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

ONLY AN AUTHORIZED PERSON MAY REMOVE THIS TAG

Model No.: S1 – TAGD - 04

DANGER

DO NOT OPERATE

MAINTENANCE DEPARTMENT

DO NOT REMOVE THIS TAG
SEE REVERSE SIDE

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 04

DANGER

EQUIPMENT LOCKED OUT BY

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

ONLY AN AUTHORIZED PERSON MAY REMOVE THIS TAG

Model No.: S1 – TAGD - 05

DANGER

DO NOT OPERATE

A LIFE IS ON THE LINE

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

DEPT. _____

Tag Re-order # S1 - TAGD - 05

DANGER

DO NOT REMOVE THIS TAG

NECESSARY DISCIPLINARY ACTION WILL BE TAKEN IF THESE ORDERS ARE DISREGARDED

Model No.: S1 – TAGD - 06

DANGER

DO NOT USE

REASON TAGGED:

☐ EQUIPMENT DEFECTIVE

☐ PART MISSING

☐ WORK INCOMPLETE

☐ DIRTY

☐ OTHER: _____

NAME: _____

DATE: _____ TIME: _____

PHONE: _____

DEPT. _____

Tag Re-order # S1 - TAGD - 06

DANGER

EQUIPMENT LOCKED OUT

TO PROTECT WORKERS REPAIRING MACHINERY




DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 07

 <p>DANGER</p> <p>LOCKED OUT</p> <p>THIS TAG AND LOCK TO BE REMOVED ONLY BY PERSON SHOWN ON BACK</p> <p>NAME _____</p> <p>DEPT. _____</p> <p>EXPECTED COMPLETION _____</p> <p>PHONE _____</p> <p><small>Tag Re-order # S1 - TAGD - 07</small></p>	 <p>DANGER</p> <p>LOCK-OUT PROCEDURES</p> <ol style="list-style-type: none">1. IDENTIFY the types of energy sources used, Potential hazards & all Control devices.2. NOTIFY all affected employees.3. TURN OFF all operating controls.4. LOCATE all energy sources.5. ISOLATE all energy sources by blocking, bleeding & venting stored energy as found in springs, hydraulic & pneumatic systems.6. LOCK-OUT all switches and energy controls in the 'OFF' or 'SAFE' position.7. TEST by putting all the operating controls in the 'ON' position. Be sure nobody can get hurt before testing.8. RETURN all operating controls to 'OFF' position.9. PERFORM required task.10. REMOVE your Lock-Out device only after the equipment is fully assembled & all affected employees have been notified.
--	---

Model No.: S1 – TAGD - 08

 <p>DANGER</p> <p>THIS ENERGY SOURCE HAS BEEN</p> <p>LOCKED OUT</p> <p>THIS TAG & LOCK TO BE REMOVED ONLY BY PERSON SHOWN ON BACK</p> <p><small>Tag Re-order # S1 - TAGD - 08</small></p>	 <p>DANGER</p> <p>EQUIPMENT LOCKED OUT _____</p> <p>EQUIPMENT LOCATION _____</p> <p>DATE _____ TIME _____</p> <p>REMARKS _____</p> <p>EXPECTED COMPLETION _____</p> <p>NAME _____</p> <p>DEPT. _____</p> <p>PTW/BADGE NO. _____</p>
---	---

Model No.: S1 – TAGD - 09

 <p>DANGER</p> <p>EQUIPMENT LOCK-OUT</p> <p>A LIFE IS ON THE LINE</p> <p>THIS TAG & LOCK TO BE REMOVED ONLY BY PERSON SHOWN ON BACK</p> <p><small>Tag Re-order # S1 - TAGD - 09</small></p>	 <p>DANGER</p> <p>I CERTIFY THAT THE FOLLOWING TASKS HAVE BEEN PERFORMED TO LOCK OUT THIS EQUIPMENT PROPERLY:</p> <ul style="list-style-type: none"><input type="checkbox"/> IDENTIFIED ALL POTENTIAL HAZARDS AND ENERGY SOURCES.<input type="checkbox"/> INFORMED OPERATOR/SUPERVISOR ABOUT WORK TO BE DONE.<input type="checkbox"/> PREPARED EQUIPMENT FOR SHUTDOWN.<input type="checkbox"/> SHUTDOWN/TURNED OFF EQUIPMENT.<input type="checkbox"/> ISOLATED AND LOCKED OUT ENERGY SOURCES.<input type="checkbox"/> RELEASED ALL STORED ENERGY.<input type="checkbox"/> TESTED EQUIPMENT FOR ZERO ENERGY STATE.<input type="checkbox"/> CLEARED ALL PERSONNEL AND TOOLS BEFORE PERFORMING JOB. <p>JOB _____</p> <p>NAME _____</p> <p>PHONE _____</p> <p>EXPECTED COMPLETION _____</p> <p>UPON COMPLETION REMOVE ALL LOCKS AND TAGS RETURN EQUIPMENT TO OPERATING ORDER.</p>
---	--

Model No.: S1 – TAGD - 10

 <p>DANGER</p> <p>DO NOT OPERATE</p>  <p>MACHINE LOCKED OUT</p> <p>SIGNED BY _____</p> <p><small>Tag Re-order # S1 - TAGD - 10</small></p>	 <p>DANGER</p> <p>THIS MACHINE IS LOCKED OUT BY</p> <p>NAME _____</p> <p>DATE _____ TIME _____</p> <p>PHONE _____</p> <p>PTW/BADGE NO. _____</p> <p>DEPT. _____</p> <p>REMARKS _____</p>
---	---

Model No.: S1 – TAGD - 11

 <p>DANGER</p> <p>DO NOT OPERATE</p> <p>PRODUCTION DEPARTMENT</p> <p>SIGNED BY _____</p> <p><small>Tag Re-order # S1 - TAGD - 11</small></p>	 <p>DANGER</p> <p>EQUIPMENT LOCKED OUT BY</p> <p>NAME _____</p> <p>DATE _____ TIME _____</p> <p>PHONE _____</p> <p>PTW/BADGE NO. _____</p> <p>DEPT. _____</p> <p>REMARKS _____</p>
--	---

Model No.: S1 – TAGD - 12

 <p>DANGER</p> <p>DO NOT OPERATE</p> <p>MAINTENANCE DEPARTMENT</p> <p>SIGNED BY _____</p> <p><small>Tag Re-order # S1 - TAGD - 12</small></p>	 <p>DANGER</p> <p>EQUIPMENT LOCKED OUT BY</p> <p>NAME _____</p> <p>DATE _____ TIME _____</p> <p>PHONE _____</p> <p>PTW/BADGE NO. _____</p> <p>DEPT. _____</p> <p>REMARKS _____</p>
--	---



DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 13

DANGER

DO NOT OPERATE

DEFECTIVE EQUIPMENT

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 13

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____

Model No.: S1 – TAGD - 14

DANGER

TESTING

DO NOT OPERATE

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 14

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____

Model No.: S1 – TAGD - 15

DANGER

DO NOT OPERATE

ELECTRICIANS AT WORK

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 15

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____

Model No.: S1 – TAGD - 16

DANGER

DO NOT OPERATE

ELECTRICAL DEPARTMENT

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 16

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____

Model No.: S1 – TAGD - 17

DANGER

UNSAFE

DO NOT OPERATE

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 17

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____

Model No.: S1 – TAGD - 18

DANGER

UNSAFE EQUIPMENT

REPAIRS REQUIRED :

SIGNED BY: _____

Tag Re-order # S1 - TAGD - 18

DANGER

EQUIPMENT LOCKED OUT BY

NAME _____

DATE _____ TIME _____

PHONE _____

PTW/BADGE NO. _____

DEPT. _____

REMARKS _____



DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 19



Model No.: S1 – TAGD - 20




Model No.: S1 – TAGD - 21



Model No.: S1 – TAGD - 22



Model No.: S1 – TAGD - 23



Model No.: S1 – TAGD - 24






DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 25



Model No.: S1 – TAGD - 26



Model No.: S1 – TAGD - 27



Model No.: S1 – TAGD - 28



Model No.: S1 – TAGD - 29



Model No.: S1 – TAGD - 30





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 31



Model No.: S1 – TAGD - 32



Model No.: S1 – TAGD - 33




Model No.: S1 – TAGD - 34



Model No.: S1 – TAGD - 35



Model No.: S1 – TAGD - 36





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 37



Model No.: S1 – TAGD - 38



Model No.: S1 – TAGD - 39




Model No.: S1 – TAGD - 40



Model No.: S1 – TAGD - 41



Model No.: S1 – TAGD - 42





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 43



Model No.: S1 – TAGD - 44



Model No.: S1 – TAGD - 45



Model No.: S1 – TAGD - 46



Model No.: S1 – TAGD - 47



Model No.: S1 – TAGD - 48





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 49



Model No.: S1 – TAGD - 50



Model No.: S1 – TAGD - 51




Model No.: S1 – TAGD - 52



Model No.: S1 – TAGD - 53



Model No.: S1 – TAGD - 54





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD - 55



Model No.: S1 – TAGD - 56



Model No.: S1 – TAGD - 57



Model No.: S1 – TAGD - 58



Model No.: S1 – TAGD - 59





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD – 201

DANGER THIS ENERGY SOURCE HAS BEEN LOCKED OUT THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 201</small>	DANGER DO NOT OPERATE EQUIPMENT LOCKED OUT _____ DATE: _____ TIME: _____ REMARKS _____ EXPECTED COMPLETION _____ NAME: _____ DEPT.: _____ PHONE: _____ PTW/BADGE NO. _____
---	---

Model No.: S1 – TAGD – 202

DANGER DO NOT OPERATE MAINTENANCE LOCK-OUT THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 202</small>	DANGER EQUIPMENT LOCKED OUT BY NAME: _____ PTW / BADGE NO.: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS _____
---	--

Model No.: S1 – TAGD – 203

DANGER DO NOT OPERATE EQUIPMENT LOCK-OUT THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 203</small>	DANGER LOCK INSTALLED BY: _____ DATE: _____ TIME: _____ GROUP LOCK-OUT STARTED COMPLETED NAME: _____ NAME: _____ DATE: _____ TIME: _____ DATE: _____ TIME: _____ NAME: _____ NAME: _____ DATE: _____ TIME: _____ DATE: _____ TIME: _____ NAME: _____ NAME: _____ DATE: _____ TIME: _____ DATE: _____ TIME: _____ GIVE TAG TO SUPERVISOR WHEN EQUIPMENT IS RETURNED TO SERVICE
---	---

Model No.: S1 – TAGD – 204

DANGER EQUIPMENT LOCK-OUT <i>A LIFE IS ON THE LINE!</i> THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 204</small>	DANGER <input type="checkbox"/> IDENTIFIED ALL POTENTIAL HAZARDS AND ENERGY SOURCES <input type="checkbox"/> INFORMED OPERATOR SUPERVISOR ABOUT WORK TO BE DONE <input type="checkbox"/> PREPARED EQUIPMENT FOR SHUTDOWN <input type="checkbox"/> ISOLATED AND LOCKED-OUT ENERGY SOURCE <input type="checkbox"/> RELEASED ALL STORED ENERGY <input type="checkbox"/> TESTED EQUIPMENT FOR ZERO ENERGY STATE <input type="checkbox"/> CLEARED ALL PERSONNEL AND TOOLS BEFORE PERFORMING JOB JOB _____ NAME _____ Phone _____ DATE COMMENCED _____ TIME _____ EXPECTED COMPLETION _____ UPON COMPLETION REMOVE ALL LOCKS TAGS RETURN EQUIPMENT TO OPERATING ORDER
---	---

Model No.: S1 – TAGD – 205

DANGER LOCKED OUT TO PROTECT WORKERS REPAIRING EQUIPMENT <small>Tag Re-order # S1 - TAGD - 205</small>	DANGER EQUIPMENT LOCKED OUT BY NAME: _____ PTW / BADGE NO.: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS _____
--	--

Model No.: S1 – TAGD – 206

DANGER LOCKED OUT MASTER TAG LOCK# LOCK LOCATION <table border="1"><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table> <small>Tag Re-order # S1 - TAGD - 206</small>																					DANGER LOCKED OUT MASTER TAG EQUIPMENT / PROCESS _____ DATE: _____ TIME: _____ GROUP LOCK BOX # _____ LOCKED OUT BY _____ <table border="1"><thead><tr><th>NAME</th><th>DATE</th><th>DATE REMOVED</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	NAME	DATE	DATE REMOVED															
NAME	DATE	DATE REMOVED																																					



DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD – 207



Model No.: S1 – TAGD – 208



Model No.: S1 – TAGD – 209



Model No.: S1 – TAGD – 210



Model No.: S1 – TAGD – 211



Model No.: S1 – TAGD – 212





DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD – 213

DANGER DO NOT ENTER SIGNED BY: _____ <small>Tag Re-order # S1 - TAGD - 213</small>	DANGER DO NOT REMOVE THIS TAG! NAME: _____ PTW / BADGE NO: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS: _____
---	--

Model No.: S1 – TAGD – 214

DANGER TAGOUT! DO NOT OPEN THIS VALVE THIS TAG MAY BE REMOVED ONLY BY: AUTHORIZED EMPLOYEE: _____ TAGOUT DATE: _____ <small>Tag Re-order # S1 - TAGD - 214</small>	DANGER DO NOT REMOVE THIS TAG! REMARKS: _____ PTW / BADGE NO: _____ DEPT.: _____ PHONE: _____
--	--

Model No.: S1 – TAGD – 215

DANGER TAGOUT! DO NOT CLOSE THIS VALVE THIS TAG MAY BE REMOVED ONLY BY: AUTHORIZED EMPLOYEE: _____ TAGOUT DATE: _____ <small>Tag Re-order # S1 - TAGD - 215</small>	DANGER DO NOT REMOVE THIS TAG! REMARKS: _____ PTW / BADGE NO: _____ DEPT.: _____ PHONE: _____
---	--

Model No.: S1 – TAGD – 216

DANGER DO NOT ENERGIZE DO NOT REMOVE THIS TAG SEE OTHER SIDE <small>Tag Re-order # S1 - TAGD - 216</small>	DANGER DO NOT ENERGIZE NAME: _____ PTW / BADGE NO: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS: _____
--	--

Model No.: S1 – TAGD – 217

DANGER DO NOT CLOSE THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 217</small>	DANGER EQUIPMENT LOCKED OUT BY NAME: _____ PTW / BADGE NO: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS: _____
--	--

Model No.: S1 – TAGD – 218

DANGER DO NOT OPEN THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 218</small>	DANGER EQUIPMENT LOCKED OUT BY NAME: _____ PTW / BADGE NO: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS: _____
---	--



DANGER TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGD – 219

DANGER DO NOT OPERATE This tag & lock to be removed only by person shown on back <small>Tag Re-order # S1 - TAGD - 219</small>	DANGER DO NOT OPERATE Equipment Locked out by:  NAME: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ PTW/BADGE NO.: _____
---	--

Model No.: S1 – TAGD – 220

DANGER BARRICADE TAG REASON / TASK: _____ RESPONSIBLE PERSON: _____ SUPERVISOR: _____ DATE: _____ <small>WARNING: ENTRY OF BARRICADE AREA WITHOUT THE IMMEDIATE CONSENT OF THE RESPONSIBLE PERSON VIOLATES SAFETY RULES</small> <small>Tag Re-order # S1 - TAGD - 220</small>	DANGER BARRICADE TAG POTENTIAL HAZARD: _____ PERMISSION TO ENTER MUST BE OBTAINED EACH TIME ENTRY IS REQUIRED PERSON TO CONTACT: _____ PHONE #: _____ DATE: _____ ESTIMATED COMPLETION: _____ TIME: _____
--	---

Model No.: S1 – TAGD – 221

DANGER LOCKED OUT DO NOT REMOVE THIS TAG & LOCK TO BE REMOVED ONLY BY THE PERSON SHOW ON BACK <small>Tag Re-order # S1 - TAGD - 221</small>	DANGER EQUIPMENT LOCKED OUT BY NAME: _____ PTW / BADGE NO.: _____ DATE: _____ TIME: _____ DEPT.: _____ PHONE: _____ REMARKS: _____
--	---

Model No.: S1 – TAGD – 222

DANGER DO NOT OPERATE This lock/tag may only be removed by: NAME: _____ DATE: _____ EXPECTED COMPLETION: _____ <small>Tag Re-order # S1 - TAGD - 222</small>	DANGER This energy source has been LOCKED OUT. Unauthorised removal of this lock/tag may result in immediate discharge. REMARKS: _____ PTW / BADGE NO.: _____ DEPT.: _____ TIME: _____ PHONE: _____
--	---

Model No.: S1 – TAGD – 223

DANGER DO NOT REMOVE THIS TAG TO DO SO WITHOUT AUTHORITY WILL MEAN IMMEDIATE DISCHARGE IT IS HERE FOR A PURPOSE SEE OTHER SIDE <small>Tag Re-order # S1 - TAGD - 223</small>	DANGER DO NOT THROW SWITCH MEN AT WORK ON CIRCUIT NAME: _____ DATE: _____ TIME: _____ PTW / BADGE NO.: _____ DEPT.: _____ PHONE: _____
--	---

Model No.: S1 – TAGD – 224

DANGER DO NOT THROW SWITCH MEN AT WORK ON CIRCUIT SIGNED BY: _____ <small>Tag Re-order # S1 - TAGD - 224</small>	DANGER Hold Order No.: _____ Station: _____ Switch: _____ Employee: _____ Has clearance on: _____ Work to be done: _____ Ordered open by: at M 20 Ordered closed by: at M 20 Signed by: at M 20 Reports clear by: at M 20 Ordered closed by: at M 20 Closed by: at M 20 Remarks: _____ Keep This Tag For Future Reference
--	--



CAUTION TAGS

Material: PVC with Metal Eyelet. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: S1 – TAGC – 301



Model No.: S1 – TAGC – 302



Model No.: S1 – TAGC – 303



Model No.: S1 – TAGC – 304





BRITISH STANDARD DISPOSABLE TAGS

Material: PVC with Metal Eyelets. **Sizes:** L 143 mm x W 80 mm x Thk 0.1 mm.

Model No.: D1 - TAGD 401



Model No.: D1 - TAGD 402



Model No.: D1 - TAGD 403



Model No.: D1 - TAGD 404





CAR SEAL TAGS

Material: PVC with Metal Eyelets. **Sizes:** L 160 mm x W 80 mm x Thk 0.5 mm.

Model No.: TAGD - CSG



Model No.: TAGD - CSR



CAR SEAL DISCS

Material: Stainless Steel 316 grade **Dia.:** 40mm x 1.0mm thk.

Model No.: CST-VLVO-G



Model No.: CST-VLVC-R



BAR CODE TAGS



EQUIPMENT
بطاقة تعريف المعدات
IDENTIFICATION TAG

THIS TAG SHALL ONLY BE PLACED AND REMOVED
BY A RECEIVING AUTHORITY

يجب وضع هذه العلامة وإزالتها من قبل المستلم المخول

I acknowledge this is the item of
equipment to be worked on under the
Permit to Work referenced below.

أقر بأن هذه المعدات التي سيتم العمل عليها
بموجب تصريح العمل المشار إليه أدناه.

Permit to Work #: عمل.....

Receiving Authority: المستلم المخول.....

Signature: التوقيع.....

Date: التاريخ.....

1234567895

EQUIPMENT
بطاقة تعريف المعدات
IDENTIFICATION TAG

THIS TAG SHALL ONLY BE PLACED AND REMOVED
BY A RECEIVING AUTHORITY

يجب وضع هذه العلامة وإزالتها من قبل المستلم المخول

Equipment to be worked on
سيتم العمل عليها

.....

I have identified the
worked on to the Receiving Authority

جهة المستلم المخول

Issuing Authority: دار.....

Signature: التوقيع.....

Date: التاريخ.....

OUT OF SERVICE
خارج الخدمة

DO NOT START/OPERATE/USE
لا تبدأ / لا تشغل / لا تستخدم

Placed By: وضعت بواسطة.....

Employee: موظف.....

Signature: التوقيع.....

Action: عمل

☐ Fault خطأ

☐ Maintenance أعمال صيانة

☐ Commissioning التكاليف

☐ Redundant الزوائد

☐ Other آخر

Detail: التفاصيل.....

1234567895

INSTRUCTIONS
التعليمات

Tag attached when action required by
Competent person.

البطاقة ترفق عند عمل الإجراء المطلوب من قبل
الشخص المختص

Tag Must:
يجب وضع علامة

- Be placed on the Isolation point and
Control point of the Equipment
توضع البطاقة على نقطة العزل ونقطة التحكم للمعدات
- Be easily seen / visible
مرئية / ترى بوضوح
- Protect Equipment
حماية المعدات

Be Removed:
يتم إزالته

- By a Competent person
من قبل الشخص المختص

DANGER
خطر! قعال
ENERGISED

**ONLY THE PERSON IN
CONTROL**

فقط الأشخاص المصرح لهم

- CAN DIRECT PEOPLE TO OPERATE
THIS EQUIPMENT

لهم الصلاحية بتوجيه الأفراد على العمل
بالمعدات

- CAN REMOVE THIS TAG

لهم الصلاحية بأزالة هذه البطاقة

1234567895

DANGER
خطر! قعال
ENERGISED

PERSON IN CONTROL
الشخص المسؤول

Name الاسم.....

Contact Number / Radio Channel:
رقم الاتصال / قناة الراديو.....

Isolation / Control Point Number:
العزل / رقم نقطة التحكم.....



(01) 1 8901072 00015 0 (17) 190831 (10) LM123

DRAINAGE
تم تأكيد التصريف

CONFIRMED

1234567895

DRAINAGE
تم تأكيد التصريف
CONFIRMED

ISOLATING AUTHORITY DETAILS
تفاصيل وحدة العزل

Name: الاسم.....

Sign: التوقيع.....

Date: التاريخ.....

LOB #

DRAINAGE DETAILS
تفاصيل التصريف

Comment: How drained / How long to drain
ملاحظات: كيفية التصريف / وقت التصريف

LOTO Safety offers a wide range of
customized Bar Coded Tags* for specific
applications. E-mail your requirement with
details.


(Minimum quantities applicable).



WRITE - ON COLORED TAGS

Material: PVC with Metal Eyelets. **Sizes:** L 143 mm x W 80 mm x Thk 0.5 mm.


Model No.: TAG - BLUE



Model No.: TAG - GREEN



Model No.: TAG - WHITE



Model No.: TAG - YELLOW



Model No.: TAG - RED



TAGS-ON-A-ROLL

Now available in stock!



TAGS-ON-A-ROLL



Model	R100-TAGD-01
Material	PVC (Tear Resistant)
Sizes	80 X 143 x 0.25mm
Eyelet	10mm Punched
Quantity	100 Tags per roll



Model	R100-TAGD-222
Material	PVC (Tear Resistant)
Sizes	80 X 160 x 0.25mm
Eyelet	10mm Punched
Quantity	100 Tags per roll



Model	R100-TAGD-CSR
Material	PVC (Tear Resistant)
Sizes	80 X 160 x 0.25mm
Eyelet	10mm Punched
Quantity	100 Tags per roll



Model	R100-TAGD-CSG
Material	PVC (Tear Resistant)
Sizes	80 X 160 x 0.25mm
Eyelet	10mm Punched
Quantity	100 Tags per roll



Model	R100-TAGC-301
Material	PVC (Tear Resistant)
Sizes	80 X 160 x 0.25mm
Eyelet	10mm Punched
Quantity	100 Tags per roll



RUBBER TIE TAGS

Sizes: L 210 mm x W 60 mm x (110 mm neck length)

Model No.: TAGFLEX-RD



Model No.: TAGFLEX-BR



Model No.: TAGFLEX-WH



Model No.: TAGFLEX-PP



Model No.: TAGFLEX-BK



Model No.: TAGFLEX-GY





RUBBER TIE TAGS

Sizes: L 210 mm x W 60 mm x (110 mm neck length)

Model No.: TAGFLEX-YL



Model No.: TAGFLEX-SG



Model No.: TAGFLEX-BL



Model No.: TAGFLEX-PN



Model No.: TAGFLEX-DG



Model No.: TAGFLEX-OR





CUSTOMIZED TAGS

LOTO Safety produces customized tags designed to work in extreme environments and high ambient temperatures.

Tags are manufactured in PVC, Polypropylene and Food board for the Oil & Gas, Utilities and industry in English, Arabic and other languages.

Email us to obtain a quote for purpose built tags providing complete details listed below:

Material	: PVC, Polypropylene*, Food Board 350 gsm
Tag Style	: Single, 2 or 3 Part tag with perforation
Sizes	: Length x Width x Thk (mm or cms)
Eyelet	: Metal / Punched
Eyelet dia	: 8 or 10mm or other... specify diameter
Nylon string	: Attached / not required
Graphics & Text	: Specify graphics, text and language on Front & Back of tag
Logos & Co. name	: Provide hi-res pdf / jpeg files for company names and logos
Numbering	: Custom numbering available, specify numbers to be printed
Cable Tie	: Required / not required

Polypropylene Tags available in 0.4mm thk with 27 Microns UV lamination on both sides, high ambient temperature resistance, 1 year warranty against fading.



LOCKOUT / TAGOUT & ARC FLASH PPE SAVES LIVES

Is your facility compliant to OSHA 29 CFR 1910.147 standard?

LOCKOUT / TAGOUT

 Electrical Lockouts

 Mechanical Lockouts

 Safety Padlocks

 Danger Tags

 Group Lockout

 Identification

 Assessment

 Demonstration

 Supply

 Installation Support

LOTO DEVICES, PADLOCKS AND TAGS FOR ISOLATION OF HAZARDOUS ENERGY



Safety Lockout Padlocks



Lockout Hasps



Circuit Breaker Lockouts



KAB-O-LOK Cable Lockouts



Mechanical Lockouts



Plug Lockouts



Panel Lockouts



Group Lock Box



Key Safe Box



Loto Stations



Key & Padlock Cabinets



Lockout Tags

ELECTRICAL SAFETY SOLUTIONS ARC FLASH PROTECTION PPE



Wall Mounted Rescue Kit



Arc Rated Balaclava



Arc Rated Helmet & Visor



CEI IEC 61243-1 Contact Voltage Detectors



Earthing & Short circuiting kits



Voltage Detectors



LOTO SAFETY REQUISITES TRADING L.L.C.

Belresheed Warehouse No.7, Next To Jacky's Electronics, Nad Al Hamar, P.O Box 114738, Dubai - UAE

Tel: +971-4-4539779 E-mail: info@lotosafetyproducts.com

www.lotosafetyproducts.com